

# VTL-E

# Open cooling towers











# Key benefits

- Low height
- Easy installation
- Quiet

#### **VTL-E** characteristics

Counter flow, centrifugal fan, forced draft

#### **Capacity range**

3 - 130 l/s

#### Water distribution

Pressurized

#### Maximum entering water temperature

55°C standard fill 65°C with alternative fill

#### **Typical applications**

- Small to medium HVAC and industrial applications
- Installations with extremely low height requirements
- Indoor installations
- High temperature industrial applications
- Tight enclosures & installations requiring a single air inlet



#### Low height

• Very low height: fits perfectly on roof tops or tight enclosures.

#### **Easy installation**

- VTL-E towers are factory-assembled. We ship in one piece for easy on-site lifting and installation.
- VTL-E offers high capacity and minimum operating weight. Save on steel supports, both underneath the
  equipment and in the building itself for rooftop installations.
- Single-side air inlet lets you install **next to solid walls**.
- Units housable **indoors** thanks to centrifugal fans allowing intake or discharge ductwork.

#### Ideal for a quiet operation

- VTL-E units include quiet internal centrifugal fans for minimal surrounding noise.
- Single-side air inlet, and a **quieter tower rear** for more noise-sensitive areas.
- Cut operation noise still further with factory-designed and tested <u>sound attenuators</u> or silencers.

#### **Year-round reliable operation**

- Various corrosion-resistant materials, including the unique <u>Baltibond<sup>®</sup> hybrid coating</u> for guaranteed long service life.
- Optional <u>Baltiguard<sup>®</sup> Drive System</u> for energy savings and less noise during low load (night). A perfect stand-by system in case of motor failure.
- The thermal performance of VTL-E is <u>Eurovent certified</u>.

### Easy to maintain

- Easy access to all the mechanicals, including fan shaft bearings.
- <u>BACount</u> individual bundled fill sheets for easy and complete inspection or cleaning preventing full replacement of fill bundles.

Interested in the VTL-E cooling tower for cooling your process water? Contact your local <u>BAC</u> representative for more information.

## **Downloads**

- VTL-E open cooling tower
- Operating and Maintenance VTL-E
- Rigging and Installation VTL-E



- Spare Parts for VTL-E
- Retrofit Opportunities for VTL E